
INTERSKAL



CONSTRUCTION AND COMMERCE INDUSTRY OF BUILDING SCAFFOLDING AND MACHINERY

CONCRETE SCAFFOLDS

INTERSKAL

At INTERSKAL industry, we design, manufacture and produce concrete scaffolds, exterior use scaffolds, tiers and movable platforms. We also manufacture and trade a great variety of building machinery and tools.

All our products are being produced according to the international specifications of validity and safety of the European Patterns CEN-HD 1000/88, CEN-HD 1039 and the Greek Patterns ELOT 1165-1196.

Our considerable experience of many years in the area of industrial manufacturing of metal scaffolds and our well granded experience in technique, give us the opportunity to provide you full and reliable services in quality, functionality and safety of our products. We are aslo at your services to look into and support the construction part of any need you may have while meeting your requirements.

Through this form you can have a first contact with the products we produce, the kind and the quality of the raw materials we utilize, as well as the great variety of construction machinery and tools, which we manufacture and trade. You have also the opportunity to watch some photos showing worksites, which had been elaborated with INTERSKAL's industry building materials.

For any further information or manufacturing study, we would be glad to communicate and co-operate with you.





Inverted "4" and frame connector



dimensions: 1,20 x 1,50m minimum height: 2,40m maximum height: 3,30m

At INTERSKAL we produce two types of concrete scaffolds:

- A) The first type includes scaffolds with tube Φ 48,3mm x 3,2mm with permissible load 20t/tower (5t/pole), with safety factor 2.
- B) The second type includes scaffolds with tube Φ 48,8mm x 4,00mm with permissible load 24t/tower (6t/pole), with safety factor 2,5.





Base Jack 0,70 long and 1,00 m long with spiral 0,55 m and 0,80 m long



Head Jack for beams 0,70 long and 1,00 m long with spiral 0,55 m and 0,80 m long



Head Jack 0,70 long and 1,00 m long with spiral 0,55 m and 0,80 m long



Head Jack (double gap)
0,70 long and
1,00 m long
with spiral
0,55 m and
0.80 m long

FRAME 1,80x1,20m DIAGONAL CROSS-BRACE 2,07m for connecting frames of width 1,20m and height 1,80m 2,00m, 2,20m kai 2,40m FRAME 1,20x1,20m DIAGONAL CROSS-BRACE 1,65m for connecting frames 1,20x1,20m dimensions

WORKSITES




A BRIDGE NEAR ASPROPYRGOS - ATTICA

Worksites which had been elaborated with INTERSKAL's industry building materials.

Height 7,30m, Length 42m

Width 19m, Concrete's height 1,80m



NATIONAL ROAD - PELOPPONESE (KAKIA SKALA)


Worksites which had been elaborated with INTERSKAL's Industry building materials.



NATIONAL ROAD (ATTICA)

Worksites which had been elaborated with INTERSKAL's industry building materials.

EXTERIOR USE SCAFFOLDS



WORKSITES



SIDE SYSTEM
Special Side System
to create working levels



SIDE SYSTEM



left: Right Angle Coupler right: Swivel Coupler



NATIONAL LIBRARY - ATHENS
Worksites which had been elaborated with INTERSKAL's industry building materials.



COMMERCIAL BANK - ATHENS
Worksites which had been elaborated with INTERSKAL's industry building materials.



ELLINIKO - ATHENS
A Tier which had been elaborated with INTERSKAL's industry building materials.

Worksite which had been elaborated with INTERSKAL's industry building materials.

CONSTRUCTION TOOLS AND MACHINERY



Various

construction tools
and equipment



PAPER TUBES

CONCRETE


VIBRATORS

with Gas Engine



■ Various construction tools and equipment





61 FILIS STR., KAMATERO, 134 51 ATHENS, TEL: +3 010 23.18.438, +3 010 23.86.321, FAX: +3 010 23.81.996, www.interskal.gr, email: info@interskal.gr





www.interskal.gr